

Beverly Hills Dental Studio

4212 Artesia Blvd.
Torrance, CA 90504
(Torrance Location)

T. 800.215.5544 / 310.205.0671
F. 310.275.7901
E. Info@beverlyhillsdentalstudio.com

Date Prepared:

Date Due:

Doctor's Name:

Patient's Name: Last

First

☐ Male ☐ Female Age _____

☐ Finish

☐ Porc. Try-In

☐ Metal Try-In

☐ Die Trim

Type of Restoration *Indicates Standard Design if nothing is marked.

Crown & Bridge

- ☐ Ceramic Metal Crown (PFM)*
☐ Full Metal Crown (FGC)
☐ Implant Crown

All Ceramic / Metal Free

- ☐ Feldspathic Veneer
☐ Lava™ - Layered Zirconia
☐ ZirCeram™ - Layered Zirconia
☐ e.max-Press® (☐ Layered ☐ Stained)
☐ AllZir-Ultra/ML™ - Full Zir./High Trans.
☐ BruxAll™ - Full Zirconia

Type of Ceramic Metal

- ☐ Precious - Yellow Ceramic
☐ Precious - White Ceramic*
☐ Semi-Precious - White Ceramic
☐ Non-Precious - White Ceramic

Type of Full Cast Metal

- ☐ Precious - High Yellow Gold
☐ Precious - Yellow Gold*

Occlusal Contact

- ☐ Out ☐ Light* ☐ Contact
Sub: (0.5 mm) (0.3 mm) (Touching)

Proximal Contact

- ☐ Light ☐ Medium* ☐ Heavy
(Scrape cast)

If Occlusal Space is needed, then...

- ☐ Adjust Opposing Tooth*
☐ Make Metal or Zi Island
☐ Make Metal or Zi Occlusal
☐ Adjust Prep & Make Coping
☐ Endo ☐ Vital

Crown Design On Labial/Buccal

- ☐ Metal or Zi Margin # _____
☐ Hairline ☐ _____ MM
☐ Junction Margin* # _____
☐ Porc. Margin # _____
☐ 180° ☐ 360°

Crown Design On Lingual/Occlusal

- ☐ Junction Margin # _____
☐ Lingual Collar* # _____
☐ Metal or Zi Occlusal # _____
☐ Full ☐ 3/4 ☐ 1/2 ☐ Island
☐ Metal or Zi Lingual # _____


Pontic Design




- Ridge Relief ☐ Yes ☐ No
Gingival Embrasure ☐ Closed ☐ Natural ☐ Open

Implant Information

- ☐ Cement Retained ☐ Screw Retained
☐ Single Unit or ☐ Splinted Units
☐ Screw-mentable (2-piece Screw Retained)
Cement in lab: ☐ Yes ☐ No
Type of Abutment: ☐ Titanium ☐ Zirconia
CAD/CAM: ☐ Yes ☐ No
☐ Genuine ☐ 3rd Party
Anodized Abutment: ☐ Gold
Implant Diameter _____
Name of Implant System _____
Scan Body Brand/Size _____



Aesthetic Parameters



Basic Shade

- ☐ Vita ☐ Chromascope ☐ Other

Stump Shade

(Needed for Metal-Free Restorations)

Labial Anatomy:

- ☐ None
☐ Subtle*
☐ Strong

Surface Glaze:

- ☐ Shiny
☐ Medium*
☐ Polished

Occlusal Staining:

- ☐ Light
☐ Medium
☐ Strong
☐ None*

Tooth

Instructions

Alloy Wt. _____

By submitting this form, I agree to the terms on the reverse side of this form.

Signature:

Date:

License #:

Beverly Hills Dental Studio requires each case be accompanied by a signed lab slip which is to be considered a binding work order agreement and acceptance of our Terms and Conditions. Updated **Terms and Conditions are posted on our website**. Invoices are billed by statement with payment due by the end of the subsequent month from statement date. 2% Service Charge will be billed on all past due balances.

Please Send More: ☐ Rx Forms ☐ Boxes ☐ Shipping Labels ☐ Packing Supplies

Model _____ Trim _____ Wax _____ Metal _____ Opaque _____ Porc. _____ Polish _____